

SPRINGS



P/N	TYPE	WIRE	O.D.	O.A.L.	BODY	RATE	SH
SAS 119	EXT	0.028	0.250	0.75	0.25	10.18	
SAS 120	EXT	0.032	0.250	1.187	0.687	7.1	
SAS 121	EXT	0.023	0.156	1.187	0.875	4.61	
SAS 122	EXT	0.032	0.250	1.406	0.906	5.52	
SAS 123	COMP	0.026	0.375	1.25		1.09	0.375
SAS 124	COMP	0.032	0.281	1.437		9.29	0.432
SAS 125	COMP	0.028	0.281	2.312		4.19	0.448
SAS 126	COMP	0.047	0.406	1		30.32	0.376
SAS 127	COMP	0.032	0.375	0.906		5.33	0.32
SAS 128	COMP	0.041	0.375	1.312		13.62	0.451
SAS 129	COMP	0.047	0.359	1.281		28.86	0.517
SAS 130	COMP	0.08	0.562	1.75		65.72	0.88
SAS 131	COMP	0.047	0.625	1.062		908	0.329
SAS 132	COMP	0.062	0.406	2		32.61	1.178
SAS 133	EXT	0.032	0.250	1.75	1.25	3.82	
SAS 134	COMP	0.032	0.250	1.062		18.18	0.352
SAS 135	COMP	0.035	0.312	1.062		16.91	0.315
SAS 136	COMP	0.054	0.375	1.187		46.19	0.594
SAS 137	COMP	0.032	0.281	2.5		6.1	0.608
SAS 138	COMP	0.028	0.328	2.5		2.72	0.42
SAS 139	COMP	0.028	0.281	2.375		3.2	0.56
SAS 140	COMP	0.047	0.406	1.187		30.32	0.376
SAS 141	COMP	0.072	0.484	1.125		110.47	0.576
SAS 142	COMP	0.026	0.265	2.375		3.12	0.4
SAS 143	COMP	0.035	0.234	2.5		15.2	0.735
SAS 144	COMP	0.028	0.234	1		12.63	0.308
SAS 145	COMP	0.035	0.250	1.125		15.5	0.595
SAS 146	COMP	0.032	0.312	1.375		8.58	0.352
SAS 147	COMP	0.023	0.312	2			0.529
SAS 148	COMP	0.028	0.375	1.156		3.52	0.252
SAS 149	COMP	0.032	0.343	1.937		3.34	0.576
SAS 150	COMP	0.026	0.234	2.625		2.8	0.754
SAS 151	COMP	0.032	0.281	2.687		4.88	0.736
SAS 152	COMP	0.047	0.500	2.5		8.38	0.564
SAS 153	COMP	0.054	0.500	1.562		12.52	0.756

SPRINGS



P/N	TYPE	WIRE	O.D.	O.A.L.	BODY	RATE	SH
SAS 154	COMP	0.08	0.906	1.062		52.23	0.4
SAS 155	COMP	0.062	0.750	2.187		7.24	0.744
SAS 156	COMP	0.035	0.906	2.687		0.46	0.35
SAS 157	EXT	0.035	0.375	1.468	0.781	2.37	
SAS 158	EXT	0.032	0.250	1.562	1.062	4.52	
SAS 159	EXT	0.026	0.281	2.25	1.687	0.46	
SAS 160	EXT	0.032	0.187	2.562	1.187	6.01	
SAS 161	COMP	0.091	0.718	2.375		39.99	1.18
SAS 162	EXT	0.105	0.750	1.75	0.625	108.52	
SAS 163	EXT	0.105	0.750	2	0.812	81.39	
SAS 164	EXT	0.105	0.750	2.25	1.062	68.11	
SAS 165	EXT	0.105	0.750	2.437	1.25	54.26	
SAS 166	EXT	0.105	0.750	2.625	1.5	46.51	
SAS 167	EXT	0.105	0.750	2.875	1.75	40.69	
SAS 168	EXT	0.105	0.750	3	1.875	36.17	
SAS 169	EXT	0.105	0.750	3.437	2.25	31	
SAS 170	EXT	0.105	0.750	3.812	2.687	26.04	
SAS 171	EXT	0.105	0.750	4.156	3.032	24.11	
SAS 172	COMP	0.12	0.828	4.25		55.99	2.16
SAS 173	COMP	0.12	1.000	4.437		36.45	1.8
SAS 174	COMP	0.091	0.718	4.25		30.76	1.456
SAS 175	EXT	0.072	0.718	4.375	3	3.18	
SAS 176	EXT	0.091	0.756	3.937	2.625	19.62	
SAS 177	EXT	0.035	0.265	4.125	3.593	1.74	
SAS 178	COMP	0.054	0.500	3.562		5.99	1.404
SAS 179	EXT	0.035	0.312	3.75	3.125	1.14	
SAS 180	EXT	0.023	0.187	3.562	3.187	7.13	
SAS 181	COMP	0.054	0.562	3.062		7.17	0.864
SAS 182	COMP	0.047	0.828	3		1.47	0.611
SAS 183	COMP	0.026	0.250	3.25		1.4	0.95
SAS 184	COMP	0.032	0.265	3.062		3.97	1.056
SAS 185	COMP	0.047	0.437	3		8.44	0.799
SAS 186	EXT	0.032	0.250	4.75	4.25	1.1	
SAS 187	EXT	0.047	0.375	5.187	4.437	2.12	
SAS 188	EXT	0.041	0.312	6	5.375	1.4	

SPRINGS



P/N	TYPE	WIRE	O.D.	O.A.L.	BODY	RATE	SH
SAS 189	EXT	0.041	0.375	6.25	5.5	0.81	
SAS 190	EXT	0.054	0.437	6.187	5.312	2.23	
SAS 191	EXT	0.062	0.718	3.25	1.812	2.66	
SAS 192	EXT	0.035	0.312	2.812	2.187	1.65	
SAS 193	EXT	0.054	0.500	9	8	0.93	
SAS 194	EXT	0.062	0.625	8.375	7.125	1.04	
SAS 195	EXT	0.08	0.750	7.375	5.875	2.7	
SAS 196	COMP	0.08	0.625	6.375		12.12	2.64
SAS 197	EXT	0.08	0.625	2.875	1.625	18.83	
SAS 198	EXT	0.08	0.703	10	8.187	2.28	
SAS 199	COMP	0.08	0.500	5.5		26.49	2.56
SAS 200	EXT	0.072	0.812	10.25	8.625	0.802	
SAS 201	COMP	0.12	0.937	6.875		32.15	2.4
SAS 202	COMP	0.12	0.812	10		23.67	4.92
SAS 203	EXT	0.135	0.859	8.5	7.093	25.55	